



1/73




FIG. 1A




FIG. 1B

3/73




FIG.2

4/73

M. musculus alpha-1,2-mannosidase IA open reading frame. The transmembrane and catalytic domains are highlighted in bold respectively. The sequence of the primers used to generate the N-terminal truncations are highlighted by underlining and the start of each respective protein fragment indicated by an arrow.

```

1 atgccctgggggacctgttgcgcctcttcagtagccctggggcgccctggcagtgccctggcggggggcttggcggggagggggg
1▶ M P V G G L L P L F S S P G G G L G S G L G G L G G G R K G
97 tctgccccctgccttcgcctcaccgagaagttcgtgctgctggtgttcagcgcccttcacgctctgtcttgcgggcaatc
33▶ S G P A A F R L T E K F V L L L V F S A F I T L C F G A I
184 ttcttcctgctgactcctccaagctgctcagcggtgtctgttccactccaaacctgccttcagcccgccggcgagcacaagcccggtctcg
62▶ F F L P D S S K L L S G V L F H S N P A L Q P P A E H K P G L
      d65 primer
278 ggqcgctgcggaggatgccgcgaggggagggagtcgcgcgaccgcgaggaaggcgccctgggacccctggagctggactggaagacaacttagcca
93▶ G A R A E D A A E G R V R H R E E G A P G D P G A G L E D N L A
      d105 primer
374 ggatccgcgaaaaaccacgagcggggctctcagggaaagccaaaggagaccctgcagaagctccggaggagatccaaagagacattctgctggagaagg
125▶ R I R E N H E R A L R E A K E T L Q K L P E I Q R D I L L E K
470 aaaagggtggccaggaccagctgcgtgacaaggatctgttagggcttgcccaagggtggacttctctgccccctcggtggttagagaaccgggagc
157▶ E K V A Q D Q L R D K D L F R G L P K V D F L P P V G V E N R E
      d187 primer
566 ccgctgacgccaccatccgtgagaagagggaagatcaaaagagatgatgacocatgcttggaaataataaagcctaagcgtggggg
189▶ P A D A T I R E K R A K I K E M M T H A W N N Y K R Y A W G

```

FIG. 3

FIG. 3 CONT

6/73




FIG. 4A

7/73




FIG. 4B

8/73




FIG. 4C

9/73




FIG. 4D

10/73




FIG. 4E

11/73




FIG. 4F





FIG. 5



14/73




FIG. 5B

15/73




FIG. 5C

16/73




FIG. 5D







FIG. 5E



19/73



20/73



21/73





FIG. 6C

22/73



23/73




FIG. 6E

24/73




FIG. 6F




FIG. 7

26/73




FIG. 7A

27/73




FIG. 7B

28/73




FIG. 7C

29/73




FIG. 8

30/73




FIG. 8A

31/73




FIG. 8B

32/73




FIG. 8C

33/73






FIG. 9

34/73




FIG. 9A

35/73




FIG. 9B

36/73






FIG. 9C



38/73



39/73




FIG. 10B

40/73




FIG. 11

41/73






FIG. 12


42/73




43/73



44/73





46/73




FIG. 14

47/73




FIG. 15

48/73

ALG3 Blast 05-22-01

Sequences producing significant alignments:		(bits)	Value
gi 586444 sp P38179 ALG3_YEAST	DOLICHYL-P-MAN:MAN(5)GLCNAC(...797	0.0	
gi 3024226 sp Q92685 ALG3_HUMAN	DOLICHYL-P-MAN:MAN(5)GLCNAC...173	7e-43	
gi 3024221 sp Q24332 NT56_DROVI	LETHAL(2)NEIGHBOUR OF TID P...145	3e-34	
gi 3024222 sp Q27333 NT56_DROME	LETHAL(2)NEIGHBOUR OF TID P...121	3e-27	
gi 10720153 sp P82149 NT53_DROME	LETHAL(2)NEIGHBOUR OF TID ...121	5e-27	
gi 1707982 sp P40989 GLS2_YEAST	1,3-BETA-GLUCAN SYNTHASE CO... 32	2.8	
gi 1346146 sp P38631 GLS1_YEAST	1,3-BETA-GLUCAN SYNTHASE CO... 31	6.6	

Alignments

Yeast

>gi|586444|sp|P38179|ALG3_YEAST DOLICHYL-P-MAN:MAN(5)GLCNAC(2)-PP-DOLICHYL MANNOSYLTRANSFERASE
(DOL-P-MAN DEPENDENT ALPHA(1-3)-MANNOSYLTRANSFERASE)
(HM-1 KILLER TOXIN RESISTANCE PROTEIN)
Length = 458

Score = 797 bits (2059), Expect = 0.0
Identities = 422/458 (92%), Positives = 422/458 (92%)

```

Query: 1  MEGEQSPQGEKSLQRKQFVRPPLDLWQDLKDGVRVYVIFDCRANLIVMPLLILFESMLCKI 60
          MEGEQSPQGEKSLQRKQFVRPPLDLWQDLKDGVRVYVIFDCRANLIVMPLLILFESMLCKI
Sbjct: 1  MEGEQSPQGEKSLQRKQFVRPPLDLWQDLKDGVRVYVIFDCRANLIVMPLLILFESMLCKI 60

Query: 61  IIKKVAYTEIDYKAYMEQIEMIQLDGMLDYSQVSGGTGPLVYPAGHVLIYKMMYWLTEGM 120
          IIKKVAYTEIDYKAYMEQIEMIQLDGMLDYSQVSGGTGPLVYPAGHVLIYKMMYWLTEGM
Sbjct: 61  IIKKVAYTEIDYKAYMEQIEMIQLDGMLDYSQVSGGTGPLVYPAGHVLIYKMMYWLTEGM 120

Query: 121 DHVERGQVFFRYLYLLTLALQMACYLLHLPPWCVVLAACLSKRLHSIYVLRLEFNDCTTL 180
          DHVERGQVFFRYLYLLTLALQMACYLLHLPPWCVVLAACLSKRLHSIYVLRLEFNDCTTL
Sbjct: 121 DHVERGQVFFRYLYLLTLALQMACYLLHLPPWCVVLAACLSKRLHSIYVLRLEFNDCTTL 180

Query: 181 FMVVTVLGAIVASRCHQRPKLKKSALVISATYSMAVSIKMNALLYFPAMMISLFILNDA 240
          FMVVTVLGAIVASRCHQRPKLKKSALVISATYSMAVSIKMNALLYFPAMMISLFILNDA
Sbjct: 181 FMVVTVLGAIVASRCHQRPKLKKSALVISATYSMAVSIKMNALLYFPAMMISLFILNDA 240

Query: 241 NVILTLLDLVAMIAWQVAVAVPFLRSFPQQYLHCAFNFGRKFMYQWSINWQMMDEEAFND 300
          NVILTLLDLVAMIAWQVAVAVPFLRSFPQQYLHCAFNFGRKFMYQWSINWQMMDEEAFND
Sbjct: 241 NVILTLLDLVAMIAWQVAVAVPFLRSFPQQYLHCAFNFGRKFMYQWSINWQMMDEEAFND 300

Query: 301 KRFXXXXXXXXXXXXXXXXXSVTRYPRILPDLWSSLCHPLRKNVLANANPAKTIPFVLIASN 360
          KRF                      FVTRYPRILPDLWSSLCHPLRKNVLANANPAKTIPFVLIASN
Sbjct: 301 KRFHLALLISHLIALTTLFVTRYPRILPDLWSSLCHPLRKNVLANANPAKTIPFVLIASN 360

Query: 361 FIGVLFSSRLHYQFLSWYHWTLPILIFWSGMPFFVGPIWYVLHEWCWNSYPPNSQXXXXX 420
          FIGVLFSSRLHYQFLSWYHWTLPILIFWSGMPFFVGPIWYVLHEWCWNSYPPNSQ
Sbjct: 361 FIGVLFSSRLHYQFLSWYHWTLPILIFWSGMPFFVGPIWYVLHEWCWNSYPPNSQASTLL 420

Query: 421 XXXXXXXXXXXXXXXXXXXXSGSVALAKSHLRTTSSMEKKLN 458
          SGSVALAKSHLRTTSSMEKKLN
Sbjct: 421 LALNTVLLLLLALTLQSGSVALAKSHLRTTSSMEKKLN 458

```

FIG. 16-1

49/73

Human

>gi|3024226|sp|Q92685|ALG3_HUMAN DOLICHYL-P-MAN:MAN(5)GLCNAC(2)-PP-DOLICHYL
MANNOSYLTRANSFERASE

(DOL-P-MAN DEPENDENT ALPHA(1-3)-MANNOSYLTRANSFERASE)
(NOT56-LIKE PROTEIN)

Length = 438

Score = 173 bits (439), Expect = 7e-43
Identities = 133/396 (33%), Positives = 195/396 (48%), Gaps = 28/396 (7%)

Query: 26 WQDLKDGVRVIFDCRANLIVMPLLLILFESMLCKIIKKVAYTEIDYKAYMEQIEMIQLD 85
WQ+ R ++ + R L+V L L E + +I +VAYTEID+KAYM ++E + ++
Sbjct: 29 WQER----RLLLREPRYTLLVAACLCLEAVGITFWIHRVAYTEIDWKAYMAEVEGV-IN 83

Query: 86 GMLDYSQVSGGTGPLVYPAGHVLIYKMMYWLTEGMDHVERGQVFFRYLYLLTLALQMACY 145
G DY+Q+ G TGPLVYPAG V I+ +Y+ T + Q F LYL TL L Y
Sbjct: 84 GTYDYTLQOGDTGPLVYPAGFVYIFMGLYYATSRGTDIRMAQNIFAVLYLATLLLVFLIY 143

Query: 146 Y-LLHLPWC-VVLACLSKRLHSIYVLRLEFNDCTTFLMVVTVLGAIVASRCHQRPKLKK 203
+ +PP+ + C S R+HSI+VLRLEFND + + +L + QR
Sbjct: 144 HQTCCKVPFVFFFMCCASYRVHSIFVLRLEFNDP-----VAMVLLFLSINLLLAQRWGWG- 197

Query: 204 SLALVISATYSMAVSIKMNALLYFPAMMISLFILNDANVILTLLDLVAMIAWQVAVAVPF 263
+S+AVS+KMN LL+ P ++ L L L + A + QV + +PF
Sbjct: 198 -----CCFFSLAVSVKMNVLFLFAPGLLFILLTQFGFRGALPKLGICAGL--QVVLGLPF 249

Query: 264 LRSFPQQYLHCAFNFRKFMYSINWQMMDEEAFNDKRFXXXXXXXXXXXXXXXXXVFTRY 323
L P YL +F+ GR+F++ W++NW+ + E F + F + R+
Sbjct: 250 LLENPSGYLSRSFDLGRQFLFHWTVNWRFLPEALFLHRAFLALLTAHLTLLLLFALCRW 309

Query: 324 PRILPDLWSSLCHPLRKNVLANPAKTIPFVLIASNFIGVLFSSRLHYQFLSWYHWTLP 383
R + S L P ++ I L SNFIG+ FSRSLHYQF WY TLP
Sbjct: 310 HRTGESILSLRDPKSKRVPPQPLTPNQIVSTLFTSNFIGICFSRSLHYQFVWYFHTLP 369

Query: 384 ILIF-----WSGMPFFVGPIWYVLHEWCWNSYPPNS 414
L++ W + + + E WN+YP S
Sbjct: 370 YLLWAMPARWLTHLLRLLVLGLI--ELSWNTYPSTS 403

Drosophila Vi

>gi|3024221|sp|Q24332|NT56_DROVI LETHAL(2)NEIGHBOUR OF TID PROTEIN (NOT58)
Length = 526

Score = 145 bits (366), Expect = 3e-34
Identities = 103/273 (37%), Positives = 157/273 (56%), Gaps = 17/273 (6%)

Query: 33 VRVYIFDCRANLIVMPLLLILFESMLCKIIKKVAYTEIDYKAYMEQIEMIQLDGMGLDYSQ 92
++Y+ F+ A IV L++L E+++ ++I++V YTEID+KAYM++ E L+G +YS
Sbjct: 34 IKYLAFEPAALPIVSVLIVLAEAVINVLVIQVRVPTYTEIDWKAYMQECEGF-LNGTTNYSL 92

Query: 93 VSGGTGPLVYPAGHVLIYKMMYWLTEGMDHVERGQVFFRYLYLLTLALQMACYLLH-LP 151
+ G TGPLVYPA V IY +Y+LT +V Q F +YLL + L + Y +P
Sbjct: 93 LRGDTGPLVYPAAFVYIYSGLYLTGQGTNVRLAQYIFACIYLLQMCLVLRLYTKSRKVP 152

Query: 152 PWCVVLACL-SKRLHSIYVLRLEFNDCTTFLMVVTVLGAIVASRCHQRPKLKKSALVIS 210
P+ +VL+ S R+HSIYVLRLEFND L +L A + QR L S
Sbjct: 153 PYVLVLSAFTSYRIHSIYVLRLEFNDPVAI-----LLYAALNLFQDQRTWLTG-----S 200

Query: 211 ATYSMAVSIKMNALLYFPAMMISLFILNDANVILTLLDLVAMIAWQVAVAVPFLRSFPQQ 270
YS+AV +KMN + A + LF L + V+ TL+ L Q+ + PFLR+ P +
Sbjct: 201 ICYSLAVGVKMN--ILLFAPALLLFYLANLGVRLTLVQLTICAVLQLFIGAPFLRTHPME 258

FIG. 16-2

50/73

Query: 271 YLHCAFNFGRKFMYQWSINWQMMDEEAFNDKRF 303
YL +F+ GR F ++W++N++ + +E F + F
Sbjct: 259 YLRGSFDLGRIFEHKWTVNYRFLSKELFEQREF 291

Score = 53.3 bits (127), Expect = 1e-06
Identities = 31/62 (50%), Positives = 41/62 (66%), Gaps = 6/62 (9%)

Query: 352 IPFVLIASNFIGVLFSSRLHYQFLSWYHWTLPILIFWSGMPFFVGPIWYVLH--EWCWNS 409
+PF L NFIGV +RSLHYQF WY +LP L+ WS P+ +G + +L E+CWN+
Sbjct: 412 LPFFL--CNFIGVACARSLHYQFYIWFHSLPYLV-WS-TPYSLGVRYLILGLIEYCWN 467

Query: 410 YP 411
YP

Sbjct: 468 YP 469

Drosophila melanogaster

>gi|3024222|sp|Q27333|NT56_DROME LETHAL(2)NEIGHBOUR OF TID PROTEIN (NOT56)
(NOT45)

Length = 510

Score = 121 bits (305), Expect = 3e-27
Identities = 96/272 (35%), Positives = 154/272 (56%), Gaps = 17/272 (6%)

Query: 34 RYVIFDCRANLIVMPLILFESMLCKIIKKVAYTEIDYKAYMEQIEMIQLDGMLDYSQV 93
+Y++ + A IV ++L E ++ ++I++V YTEID+ AYM++ E L+G +YS +
Sbjct: 36 KYLLLEPAALPIVGLFVLLAELVINVVVVIQRPVYTEIDWVAYMQECEGF-LNGTTNYSLL 94

Query: 94 SGGTGPLVYPAGHVLIYQMYWLTEGMDHVERGQVFFRYLYLLTLALOMACYLLH-LPP 152
G TGPLVYPA V IY +Y++T +V Q F +YLL LAL + Y +PP
Sbjct: 95 RGD TGPLVYPAAFVYIYSALYYVTSHGTINVRLAQYIFAGIYLLQLALVLRYSKSRKVPP 154

Query: 153 WCVVLACL-SKRLHSIYVLRFLFNDCTTILFMVTVLGAIVASRCHQRPKLKKSALVISA 211
+ +VL+ S R+HSIYVLRFLFND + V +L A + +R L S
Sbjct: 155 YVLVLSAFTSYRIHSIYVLRFLFNDP-----VAVLLLYAALNLFLLDRRTLG-----ST 202

Query: 212 TYSMAVSIKMNALLYFPAMMISLFILNDANVILTLLDLVAMIAWQVAVAVPFLRSFPQQY 271
+S+AV +KMN + A + LF L + ++ T+L L Q+ + PFL + P +Y
Sbjct: 203 FFS LAVGVKMN--ILLFAPALLLFYLANLGLLRTILQLAVCGVIQLLLGAPFLLLTHPVEY 260

Query: 272 LHCAFNFGRKFMYQWSINWQMMDEEAFNDKRF 303
L +F+ GR F ++W++N++ + + F ++ F
Sbjct: 261 LRGSFDLGRIFEHKWTVNYRFLSRDVFENRTF 292

Score = 49.4 bits (117), Expect = 2e-05
Identities = 27/60 (45%), Positives = 35/60 (58%), Gaps = 2/60 (3%)

Query: 352 IPFVLIASNFIGVLFSSRLHYQFLSWYHWTLPILIFWSGMPFFVGPIWYVLHEWCWNSYP 411
+PF L N +GV SRSLHYQF WY +LP L + + V + L E+CWN+YP
Sbjct: 407 LPFFL--CNLVGVACSRSLHYQFYVWYFHSPLAWSTPYSLGVRCILGLIEYCWN 464

FIG. 16-3

51/73

Matrix: BLOSUM62
Gap Penalties: Existence: 11, Extension: 1
Number of Hits to DB: 28883317
Number of Sequences: 96469
Number of extensions: 1107545
Number of successful extensions: 2870
Number of sequences better than 10.0: 16
Number of HSP's better than 10.0 without gapping: 5
Number of HSP's successfully gapped in prelim test: 11
Number of HSP's that attempted gapping in prelim test: 2839
Number of HSP's gapped (non-prelim): 23

length of query: 458
length of database: 35,174,128
effective HSP length: 45
effective length of query: 413
effective length of database: 30,833,023
effective search space: 12734038499
effective search space used: 12734038499
T: 11
A: 40
X1: 15 (7.1 bits)
X2: 38 (14.6 bits)
X3: 64 (24.7 bits)
S1: 40 (21.8 bits)
S2: 67 (30.4 bits)

FIG.16-4

52/73

S. cerevisiae ALG3

ATGGAAGGTGAACAGTCTCCGCAAGGTGAAAAGTCTCTGCAAAGGAAGC
AATTTGTCAGACCTCCGCTGGATCTGTGGCAGGATCTCAAGGACGGTGTG
CGCTACGTGATCTTCGATTGTAGGGCCAATCTTATCGTTATGCCCCTTTTG
ATTTTGTTGAAAGCATGCTGTGCAAGATTATCATTAAGAAGGTAGCTTAC
ACAGAGATCGATTACAAGGCGTACATGGAGCAGATCGAGATGATTCAGCT
CGATGGCATGCTGGACTACTCTCAGGTGAGTGGTGGAAACGGGCCCGCTGG
TGTATCCAGCAGGCCACGTCTTGATCTACAAGATGATGTACTGGCTAACA
GAGGGAATGGACCACGTTGAGCGCGGGCAAGTGTTTTTCAGATACTTGTA
TCTCCTTAACTGGCGTTACAAATGGCGTGTTACTACCTTTTACATCTACC
ACCGTGGTGTGTGGTCTTGGCGTGCCTCTCTAAAAGATTGCACTCTATTTA
CGTGCTACGGTTATTCAATGATTGCTTCACTACTTTGTTTATGGTCGTCACG
GTTTTGGGGGCTATCGTGGCCAGCAGGTGCCATCAGCGCCCCAAATTAAA
GAAGTCCCTTGCGCTGGTGTCTCCGCAACATACAGTATGGCTGTGAGCA
TTAAGATGAATGCGCTGTTGTATTTCCCTGCAATGATGATTTCTCTATTCAT
CCTTAATGACGCGAACGTAATCCTTACTTTGTTGGATCTCGTTGCGATGAT
TGCAATGGCAAGTCGCAGTTGCAGTGCCCTTCCCTGCGCAGCTTTCCGCAACA
GTACCTGCATTGCGCTTTTAATTTCCGCGAGGAAGTTTATGTACCAATGGAG
TATCAATTGGCAAATGATGGATGAAGAGGCTTTCAATGATAAGAGGTTCC
ACTTGCCCTTTTAATCAGCCACCTGATAGCGCTCACCACACTGTTCTGTC
CAAGATACCCTCGCATCCTGCCCCGATTTATGGTCTTCCCTGTGCCATCCGC
TGAGGAAAAATGCAGTGCTCAATGCCAATCCCGCCAAGACTATTCCATTC
GTTCTAATCGCATCCAACCTTCATCGGCGTCCTATTTTCAAGGTCCCTCCAC
TACCAGTTTCTATCCTGGTATCACTGGACTTTGCCTATACTGATCTTTTGGT
CGGGAATGCCCTTCTTCGTTGGTCCCATTGGTACGTCTTGACGAGTGGT
GCTGGAATTCTATCCACCAAACCTCACAAGCAAGCACGCTATTGTTGGCA
TTGAATACTGTTCTGTTGCTTCTATTGGCCTTGACGCAGCTATCTGGTTCGG
TCGCCCTCGCCAAAAGCCATCTTCGTACCACCAGCTCTATGGAAAAAAG
CTCAACTGA

S. cerevisiae Alg3p

MEGEQSPQGEKSLQRKQFVRPPLDLWQDLKDGVRVYVIFDCRANLIVMPLLL
FESMLCKIIKKVAYTEIDYKAYMEQIEMIQLDGM LDYSQVSGGTGPLVYPAG
HVLIYKMMYWLTEGMDHVERGQVFFRYLYLLTLALQMACYLLHLPPWCV
VLACLSKRLHSIYVLRLEFNDCTTFLFMVVTVLGAIVASRCHQRPKLKSLALV
ISATYSMAVSIMNALLYFPAMMISLFILNDANVILTLLDLVAMIAWQVAVA
VPFLRSFPQQYLHCAFNFRKFM YQWSINWQMMDEEAFNDKRFHLALLISHL
IALTTLFVTRYPRILPDLWSSLCHPLRKNVNLNANPAKTIPFVLIASNFIGVLFS
RSLHYQFLSWYHWTLPIILFWSGMPFFVGPIWYVLHEWCWNSYPPNSQASTL
LLALNTVLLLLLALTQLSGSVALAKSHLRTTSSMEKKLN

FIG. 17

53/73

P. pastoris ALG3

ATGCCTCCGATAGAGCCAGCTGAAAGGCCAAAGCTTACGCTGAAAAATGT
TATCGGTGATCTAGTGGCTCTTATTCAAACGTTTTATTTAACCCAGATTTT
AGTGTCTTCGTTGCACCTCTTTTATGGTTAGCTGATTCCATTGTTATCAAGG
TGATCATTGGCACTGTTTCTACACAGATATTGATTTTTCTTCATATATGCA
ACAAATCTTTAAAATTTCGACAAGGAGAATTAGATTATAGCAACATATTTG
GTGACACCGGTCCATTGGTTTACCCAGCCGGCCATGTTTCATGCTTACTCAG
TACTTTCGTGGTACAGTGATGGTGGAGAAGACGTCAGTTTCGTTCAACAA
GCATTTGGTTGGTTATACCTAGGTTGCTTGTTACTATCCATCAGCTCCTACT
TTTTCTCTGGCTTAGGGAAAATACCTCCGGTTTATTTTGTGTTTGTGGTAGC
GTCCAAGAGACTGCATTCAATATTTGTATTGAGACTCTTCAATGACTGTTT
AACAACATTTTTGATGTTGGCAACTATAATCATCCTTCAACAAGCAAGTAG
CTGGAGGAAAGATGGCACAACCTATCCATTATCTGTCCCTGATGCTGCAG
ATACGTACAGTTTAGCCATCTCTGTAAAGATGAATGCGCTGCTATACCTCC
CAGCATTCCCTACTACTCATATATCTCATTGTGACGAAAATTTGATTAAAG
CCTTGGCACCTGTTCTAGTTTTGATATTGGTGCAAGTAGGAGTCGGTTATT
CGTTCATTTTACCGTTGCACTATGATGATCAGGCAAATGAAATTCGTTCTG
CCTACTTTAGACAGGCTTTTGACTTTAGTCGCCAATTTCTTTATAAGTGGA
CGGTTAATTGGCGCTTTTTGAGCCAAGAACTTTCAACAATGTCCATTTTC
ACCAGCTCCTGTTTGCTCTCCATATTATTACGTTAGTCTTGTTTCATCCTCAA
GTTCTCTCTCCTAAAAACATTGGAAAACCGCTTGGTAGATTTGTGTTGGA
CATTTTCAAATTTTGGAAGCCAACCTTATCTCCAACCAATATTATCAACGA
CCCAGAAAGAAGCCCAGATTTTGTTTACACCGTCATGGCTACTACCAACTT
AATAGGGGTGCTTTTTGCAAGATCTTTACACTACCAGTTCCTAAGCTGGTA
TGCGTTCTCTTTGCCATATCTCCTTTACAAGGCTCGTCTGAACCTTATAGCA
TCTATTATTGTTTATGCCGCTCACGAGTATTGCTGGTTGGTTTTCCAGCTA
CAGAACAAAGTTCGCGCTTGTGGTATCTATCTTACTACTTATCCTGATTC
TCATTTTTACCAACGAACAGTTATTTCTTCTCAATCGGTCCCTGCAGAAA
AAAAGAATACATAA

P. pastoris Alg3p

MPPIEPAERPCLTLKNVIGDLVALIQNVLFNPDFSVFVAPLLWLADSIVIKVIIG
TVSYTDIDFSSYMQQIFKIRQGELDYSNIFGDTGPLVYPAGHVHAYSVLSWYS
DGGEDVSFVQQAFGWLYLGCLLSISSYFFSGLGKIPPVYFVLLVASKRLHSIF
VLRLFNDCLTTFMLATHILQQASSWRKDGTTPLSVPDAADTYSLAISVKMN
ALLYLPAFLLLIYICDENLIKALAPVLVLILVQVGVGYSFILPLHYDDQANEIR
SAYFRQAFDFSRQFLYKWTNVNRFLSQETFNNVHFHQLLFALHIITLVLFILKF
LSPKNIGKPLGRFVLDFKFWKPTLSPTNIINDPERSPDFVYTVMATTNLIGVLF
ARSLHYQFLSWYAFSLPYLLYKARLNFIASITVYAAHEYCWLVFPATEQSSAL
LVSILLILILIFTNEQLFPSQSVPAEKKNT

FIG. 18

54/73

P. pastoris ALG3 BLAST

Sequences producing significant alignments:		(bits)	Value
gi 586444 sp P38179 ALG3 YEAST	Dolichyl-P-Man:Man(5)GlcNAc(...228	2e-58	
gi 12802365 qb AAK07848.1 AF309689.10	putative NOT-56 manno...212	8e-54	
gi 984725 qb AAA75352.1	ORF 1 206	4e-52	
gi 7492702 pir T39084	probable mannosyltransferase - fissi...176	8e-43	
gi 16226531 qb AAL16193.1 AF428424.1	At2g47760/F17A22.15 {A...164	2e-39	
gi 25367230 pir B84919	Not56-like protein [imported] - Ara...164	3e-39	
gi 25814791 emb CAB70171.2	Hypothetical protein K09E4.2 {C...161	2e-38	
gi 17535001 ref NP_496950.1	Putative plasma membrane membr...160	3e-38	
gi 1654000 emb CAA70220.1	Not56-like protein [Homo sapiens...155	2e-36	
gi 13279206 qb AAH04313.1 AAH04313	Unknown (protein for IMA...154	2e-36	
gi 22122365 ref NP_666051.1	hypothetical protein MGC36684 ...150	3e-35	
gi 21292031 qb EAA04176.1	agCP3388 [Anopheles gambiae str....120	4e-26	
gi 1780792 emb CAA71167.1	lethal(2)neighbour of tid [Droso...114	3e-24	

Alignments

S. cerevisiae

Score = 228 bits (580), Expect = 2e-58
Identities = 154/429 (35%), Positives = 229/429 (53%), Gaps = 37/429 (8%)

Query: 9 RPKLT LKNVIGDLVALIQNVLFNPDFSVFVAPLLWLADSIKVIIGTVSYTDIDFSSYM 68
RP L L DL ++ V+F+ ++ V PLL L +S++ K+II V+YT-ID+ +YM
Sbjct: 20 RPPLDLWQ---DLKDGVRVYIFDCRANLIVMPLLILFESMLCKIIKKVAYTEIDYKAYM 76

Query: 69 QQIFKIR-QGELDYSNIFGDTGPLVPAGHVHAYSVLSWYSDGGEDVSFVQQAFGWLYLG 127
+QI I+ G LDYS + G TGPLVPAGHV Y ++ W ++G + V Q F +LYL
Sbjct: 77 EQIEMIQLDGM LDYSQVSGGTGPLVPAGHVLIYKMYWLTEGMDHVERGQVFFRYLYLL 136

Query: 128 CLLLSISSYFFSGLGKIPPVYFVLLVASKRLHSIFVLRLFNDCLTTFMLLATI---IILQ 184
L L ++ Y+ L +PP VL SKRLHSI+VLRLFNDC TT M+ T+ I+
Sbjct: 137 TLALQMACYY---LLHLPWCVVLA LSKRLHSIYVLRLFNDCFTTLMFVVTVLGAIVAS 193

Query: 185 QASSWRKDGTTIPLSVPDAADTYSLAISVKMNNXXXXXXXXXXXXXXXXXCDENLIKALAPXX 244
+ K ++ L + + TYS+A+S+KMN D N+I L
Sbjct: 194 RCHQRPKLKKS LALVI---SATYSMAVSIMNALLYFPAMMISLFILNDANVILTLLDLV 250

Query: 245 XXXXXXXXXXXXYSFILPLHYDDQANEIRSAYFRQAFDFSRQFLYKWTNVNWRFLSQETFN NV 304
F+ Y AF+F R+F+Y+W++NW+ + +E FN+
Sbjct: 251 AMIAWQVAVAVPFL-----RSFPQQLHCAFNFGRKFMYQWSINWQMMDEEAFNDK 301

Query: 305 HFHQLLFALHIITL-VLFILKFLSPKNIGKPLGRFVLDIFKFWKPTLSPTNIIN-DPERS 362
FH L H+I L LF+ ++ R + D++ L ++N +P ++
Sbjct: 302 RFHLALLISHLIAITTLFVTRY-----PRILPDLWSSLCHPLRKNAVLNANPAKT 351

Query: 363 PDFVYTVMATTNLIGVLFARSLHYQFLSWYAFSLPYLLYKARLNFIASIIVYAAHEYCW L 422
F V+ +N IGVLF+RSLHYQFLSWY ++LP L++ + + F I Y HE+CW
Sbjct: 352 IPF---VLIASNFIGVLFARSLHYQFLSWYHWTLPILIFWSGMPFFVGPIWYVLHEWCWN 408

Query: 423 VFPATEQSS 431
+P Q+S
Sbjct: 409 SYPPNSQAS 417

FIG. 19-1

55/73

Neurospora crassa

Score = 212 bits (540), Expect = 8e-54
Identities = 140/400 (35%), Positives = 212/400 (53%), Gaps = 29/400 (7%)

Query: 35 SVFVAPLLWLADSIKVIIGTVSYTDIDFSSYMQQIFKIROGELDYSNIFGDTGPLVYP 94
S + P L+L D+++ +II V YT+ID+++YM+Q+ +I GE DY+ + G TGPLVYP
Sbjct: 33 SKLIPPALFLVDALLCGLIIWKVPYTEIDWAAAYMEQVSQILSGERDYTEKVRGGTGPLVYP 92

Query: 95 AGHVHAYSVLWSYSDGGEDVSFVQQAAGWLYLGCLLLSISSYFFSGLGKIPPVYFVLLVA 154
A HV+ Y+ L +D G ++ QQ F LY+ L + + Y+ K PP F LL
Sbjct: 93 AAHVYIYTGLYHLTDEGRNILLAQQLFAGLYMVT LAVVMGCYW---QAKAPPYLFPLTL 149

Query: 155 SKRLHSIFVLRFLNDCLTTFLMLATIIILQQASSWRKDGTTIPLSVDAADTYSLSVSK 214
SKRLHSIFVLR FNDC + I Q+ +W+ A Y+L + VK
Sbjct: 150 SKRLHSIFVLRFCFNDCAFVLFVLAIFFFQR-RNWQA-----GALLYTLGLGVK 197

Query: 215 MNXXXXXXXXXXXXXXXXXCDENLIKALAPXXXXXXXXXXXXXYSFILPLHYDDQANEIRSAY 274
M + + L F+ HY + Y
Sbjct: 198 MTLTLLSLPAVGIVLFLGSG-SFVTTLQLVATMGLVQILIGVPFL--AHYPT-----Y 247

Query: 275 FROAFDFSROFLYKWTNVNWRFLSQETFNNVHFHQLLFALHIITLVLFILKFLSPKNIGK 333
+AF+ SRQF +KWTNVNWF+ +E F + F L ALH++ L +FI +++ P K
Sbjct: 248 LSRAFELSRQFFKWTNVNWRVFGEEIFLSKGFALTLLALHVLVLGIFITTRWIKPAR--K 305

Query: 334 PLGRFVLDFKFWKPTLS-PTNIINDPERSPDFVYTVMATNLTGVLFARSLHYQFLSWY 392
L + + + KP L+ P + + +P ++ T + + N +G+LFARSLHYQF ++
Sbjct: 306 SLVQLISFVLLAGKPLTVPEHRAAARDVTTRYIMTTILSANAVGLLFARSLHYQFYAYV 365

Query: 393 AFSLPYLLYKARLNFIASIIVYAAHEYCWLVPFATEQSSA 432
A+S P+LL++A L+ + +++A HE+ W VFP+T SSA
Sbjct: 366 AWSTPFLWRAGLHPVLVYLLWAVHEWANNVFPSTPASSA 405

Schizosaccharomyces pombe

Score = 176 bits (445), Expect = 8e-43
Identities = 132/390 (33%), Positives = 194/390 (49%), Gaps = 35/390 (8%)

Query: 42 LWLADSIKVIIGTVSYTDIDFSSYMQQIFKIROGELDYSNIFGDTGPLVYPAGHVHAY 101
L L + + II V YT+ID+ +YM+Q+ GE DY ++ G TGPLVYP GHV Y
Sbjct: 30 LLLLEIPFVFAIISKVPYTEIDWIAAYMEQVNSFLLGERDYKSLVGCTGPLVYPGGHVFLY 89

Query: 102 SVLSWYSDGGEDVSFVQQAAGWLYLGCLLLSISSYFFSGLGKIPPVYFVLLVASKRLHSI 161
++L + +DGG ++ Q F ++Y + +I Y F + + P +VLL+ SKRLHSI
Sbjct: 90 TLLYYLTDGGTNIVRAQYIFAFVY--ITTAIVGYLFK-IVRAPFYIYVLLILSKRLHSI 146

Query: 162 FVLRFLNDCLTTFLMLATIIILQQASSWRKDGTTIPLSVDAADTYSLSVSKMXXXXXX 221
F+LRLFND + L + I+ W + A+ S+A SVKM+
Sbjct: 147 FILRLFNDGFNS-LFSSLFILSSCKKKWVR-----ASILLSVACSVKMSSLLYV 194

Query: 222 XXXXXXXXXXXXCDENLIKALAPXXXXXXXXXXXXXYSFILPLHYDDQANEIRSAYFROAFDF 281
L++ L P + + + +Y+ QAFDF
Sbjct: 195 PAYLV-----LLQILGPKKTMHIFVIIIVQILFSIPF----LAYFWSYWTQAFDF 242

Query: 282 SROFLYKWTNVNWRFLSQETFNNVHFHQLLFALHIITLVLFILKFLSPKNIGKPLGRFVLD 341
R F YKWTNVNWF+ + F + F + LH+ LV F K + + P
Sbjct: 243 GRAFDYKWTNVNWFIPRSIFESTSFSTSILFLHVALLVAFTCKHWNKLSRATP----- 295

Query: 342 IFKFWKPTLSPTNIINDPERSPDFVYTVMATNLTGVLFARSLHYQFLSWYAFSLPYLLY 401
F L+ + +P+P++T +AT+NLTG+L ARSLHYQF +W+A+ PYL Y

FIG. 19-2

56/73

Sbjct: 296 -FAMVNSMLTLKPLPKLQLATPNFIFTALATSNLIGILCARSLHYQFYAWFAWYSPYLCY 354

Query: 402 KARLNFIASIIVYAAHEYCWLVPATEQSS 431
+A I ++ EY W VFP+T+ SS

Sbjct: 355 QASFPAPIVIGLWMLQEYAWNVPSTKLSS 384
Arabidopsis thaliana

Score = 164 bits (415), Expect = 2e-39
Identities = 131/391 (33%), Positives = 194/391 (49%), Gaps = 29/391 (7%)

Query: 42 LWLADSIIVIKVIIGTVSYTDIDFSSYMQQIFKIROGELDYSNIFGDTGPLVYPAGHVHAY 101
L LAD+I++ +II V YT ID+ +YM Q+ GE DY N+ GDTGPLVYPAG ++ Y

Sbjct: 39 LILADAILVALIIAYVPYTKIDWDAYMSQVSGFLGGERDYGNLKGDGPLVYPAGFLYVY 98

Query: 102 SVLSWYSDGGEDVSFVQQAQFGLYLGLLLSISYFFSGLGKIPPVYFVLLVASKRLHSI 161
S + + G +V Q FG LY+ L + + Y + + +P LL SKR+HSI

Sbjct: 99 SAVQNLTTGG--EVYPAQILFGVLYIVNLGIVLIIYVKTDV--VPWWALSLLCLSKRIHSI 154

Query: 162 FVLRLFNDCLTTFMLLATIIILQQASSWRKDGTTIPLSVDAADTYSLAISVKMNXXXXX 221
FVLRLFNDC L+ A++ + +RK + + +S A+SVKMN

Sbjct: 155 FVLRLFNDCFAMTLLHASMALFL----YRKWHLGMLV-----FSGAVSVKMNVLLYA 202

Query: 222 XXXXXXXXXXXCDENLIKALAPXXXXXXXXXXXXXXXXXSYFILPLHYDDQANEIRSAYFRQAFDF 281
N+I ++ F++ +Y AFD

Sbjct: 203 PTLLLLLLKAM--NIIGVVSALAGAALAQILVGLPFLITYPV-----SYIANAFDL 251

Query: 282 SRQFLYKWTNVNRFSLSQETFNNVHFHQLLFALHIIITLVLFILKFLSPKNIGKPLGRFVLD 341
R F++ W+VN++F+ + F + F L H+ LV F + K+ G +G

Sbjct: 252 GRVFIHFWSVNFKFVPERVVFVSKEFAVCLLIAHLFLLVAFA-NYKWCKHEGGIIGFMRSR 310

Query: 342 IFKFWKP-TLSPTNIINDPERSPDFVYTMATTNLIGVLFARSLHYQFLSWYAFSLPYLL 400
F P +LS +++ + + V T M N IG++FARSLHYQF SWY +SLPYLL

Sbjct: 311 HFFLTLPSSLSFSFSDVSASRIITKEHVVTAMFVGNFIGIVFARSLHYQFYSWYFSLPYLL 370

Query: 401 YKARLNFIASIIVYAAHEYCWLVPATEQSS 431
++ +I++ E CW V+P+T SS

Sbjct: 371 WRTFPPTWLRRLIMFLGIELCWNVPSTPSSS 401

FIG. 19-3

57/73

K. lactis ALG3

TTTGTTTACAAGCTGATACCAACGAACATGAATACACCGGCAGGTTTACT
GAAGATTGGCAAAGCTAACCTTTTACATCCTTTTACCGATGCTGTATTGAG
TGCGATGAGAGTAAACGCAGAACAAATTGCATACATTTTACTTGTTACCA
ATTACATTGGAGTACTATTTGCTCGATCATTACACTACCAATTCCTATCTT
GGTACCATTGGACGTTACCAGTACTATTGAATTGGGCCAATGTTCCGTATC
CGCTATGTGTGCTATGGTACCTAACACATGAGTGGTGCTGGAACAGCTAT
CCGCCAAACGCTACTGCATCCACACTGCTACACGCGTGTAACACATACTG
TTATTGGCTGTATTCTTAAGAGGACCCGCAAACCTCGAAAAGTGGTGATAA
CGAAACAACACACGAGAAAGCTGAG

K. lactis Alg3p

FVYKLIPTNMNTPAGLLKIGKANLLHPFTDAVFSAMRVNAEQIAYILLVTNYI
GVLFARSLHYQFLSWYHWTLPLVLLNWANVPYPLCVLWYLTHEWCWNSYPP
NATASTLLHACNTYCYWLYSZEDPQTRKVVITKQHTRKL

FIG. 20

58/73

K. lactis ALG3 BLAST

Score E (bits) Value
Sequences producing significant alignments:

qi 586444 sp P38179 ALG3 YEAST	Dolichyl-P-Man:Man(5)GlcNAc(...)	125	1e-28
qi 984725 qb AAA75352.1	ORF 1	94	4e-19
qi 16226531 qb AAL16193.1 AF428424 1	At2g47760/F17A22.15 [A...	72	1e-12
qi 25367230 pir B84919	Not56-like protein [imported] - Ara...	72	1e-12
qi 21292031 qb EAA04176.1	agCP3388 [Anopheles gambiae str....	69	2e-11
qi 20892051 ref XP_148657.1	similar to Lethal(2)neighbour ...	65	2e-10

Alignments

S. cerevisiae

Score = 125 bits (314), Expect = 1e-28
Identities = 60/120 (50%), Positives = 83/120 (69%), Gaps = 1/120 (0%)
Frame = +3

Query: 66 ANLLHPFT-DAVFSAMRVNAEQIAYILLVTNYIGVLFARSLHYQFLSWYHWTLPVLLNWA 242
++L HP ++AV +A A+ I ++L+ +N+IGVLF+RSLHYQFLSWYHWTLP+L+ W+
Sbjct: 332 SSLCHPLRKNVAVLNANP--AKTIPFVLIASNFIGVLFSSRSLHYQFLSWYHWTLPILIFWS 389

Query: 243 NVYPYPLCVLWYLTHEWCWNSYPPNATASTLLHACNTYCYWLYS*EDPQTRKVVITKQHR 422
+P+ + +WY+ HEWCWNSYPPN+ ASTLL A NT L + + V + K H R
Sbjct: 390 GMPFFVGPIWYVLHEWCWNSYPPNSQASTLLALNTVLLLLLA-LTQLSGSVALAKSHLR 448

A. thaliana

Score = 72.0 bits (175), Expect = 1e-12
Identities = 42/107 (39%), Positives = 57/107 (53%), Gaps = 3/107 (2%)
Frame = +3

Query: 84 FTDVFSAMRVNAEQIAYILLVTNYIGVLFARSLHYQFLSWYHWTLPVLLNWANVYPYPLC 263
F+D S + + E + + V N+IG++FARSLHYQF SWY ++LP LL P L
Sbjct: 322 FSDVSASRI-ITKEHVVTAMFVGNFIGIVFARSLHYQFYFYSLPYLLWRTPFPTWLR 380

Query: 264 VLWYLTHEWCWNSYPPNATASTL---LHACNTYCYWLYS*EDPQTRK 395
++ +L E CWN YP ++S L LH WL DP K
Sbjct: 381 LIMFLGIELCWNVYPSTPSSSGLLLCLHLIILVGLWLAPSVDPYQLK 427

FIG. 21

59/73




FIG. 22

60/73




FIG. 23

61/73

>gi|6754685|ref|NM_010795.1| Mus musculus mannoside acetyl
glucosaminyltransferase 3 (Mgat3), mRNA



ATGAAGATGAGACGCTACAAGCTCTTTCTCATGTTCTGTATGGCTGGCCTGTGCCTCATATCCTTCCTGC
ACTTCTTTAAGACCTTATCCTATGTACCTTCCCGAGAGAACTGGCCTCCCTCAGCCCTAACCTCGTATC
CAGCTTCTTCTGGAAACAATGCCCCGTGCACTCCCCAGGCCAGTCCGGAGCCGGGTGGCCCCGACCTATTG
CGGACACCCCTCTACTCCCACTCTCCCCTGCTCCAGCCACTGTCCCCGAGCAAGGCCACAGAGGAACTGC
ACCGGGTGGACTTCGTGTTGCCGGAGGACACCACGGAGTATTTTGTGCGCACCAAAGCTGGTGGTGTGTG
CTTCAAACCAGGTACCAGGATGCTGGAGAAACCTTCGCCAGGGCGGACAGAGGAGAAGCCCGAAGTGTCT
GAGGGCTCCTCAGCCCGGGGACCTGCTCGGAGGCCCATGAGGCACGTGTTGAGTACGCGGGAGCGCCTGG
GCAGCCGGGGCACTAGGCGCAAGTGGGTTGAGTGTGTGTGCCTGCCAGGCTGGCACGGGCCCAGTTGCGG
GGTGCCCAACGGTGGTGCAGTATTCCAACCTGCCACCAAGGAACGCCTGGTACCCAGGGAGGTACCGAGG
CGGGTTATCAACGCCATCAACATCAACCACGAGTTCGACCTGCTGGATGTGCGCTTCATGAGCTGGGAG
ATGTTGTGGACGCCCTTCGTGGTCTGTGAATCTAATTTACCCGCCTACGGGGAGCCTCGGCCGCTCAAGTT
CCGAGAGATGCTGACCAATGGCACCTTCGAGTACATCCGCCACAAGGTGCTCTATGTCTTCTCGGACCAT
TTCCACCTGGTGGCCGTGAGGACGGCTGGATTGCGGATGACTACCTGCGCACCTTCCTCAGCCAGGATG
GCGTCTCCCGCCTGCGCAACCTGCGGCCCCGATGACGTCTTTATCATCGACGATGCGGACGAGATCCCTGC
GCGTGATGGTGTGCTGTTCTCTCAAACTCTACGATGGCTGGACAGAGCCCTTCGCCTTCCACATGCGGAAG
TCCCTGTATGGTTTCTTCTGGAAGCAGCCGGGCCACACTGGAGGTGGTGTGTCAGGCTGCACCATGGACATGC
TGCAGGCCGTGTATGGGCTGGATGGCATCCGCCTGCGCCGCCAGTACTACACCATGCCCAACTTCCG
GCAGTATGAGAACCGCACCGGCCACATCCTAGTGCACTGGTCTCTCGGCAGCCCCCTGCACCTTCGCGGGC
TGGCATTGCTCCTGGTGTTCACACCCGAGGGCATCTACTTTAAACTCGTGTGAGCCCAAGATGGCGACT
TCCCCCGCTGGGGTGACTATGAGGACAAGAGGGACCTCAATTACATCCGCAGCTTGATCCGCAGTGGGGG
ATGGTTTCGACGGAACGCAGCAGGAGTACCCTCCTGCGGACCCAGTGAGCACATGTATGCTCCTAAATAC
CTGCTCAAGAACTATGACCAGTTCGCTACTTGTGGAATAATCCCTACCGGGAGCCCAAGAGCACTGTAG
AGGGTGGGCGCCAGAACAGGGCTCAGATGGAAGGCCATCTGCTGTGTCAGGGGCAAGTTGGATACAGTGA
GGGCTAG

>gi|2117717|pir||JC4362 beta-1,4-mannosyl-glycoprotein 4-beta-N-
acetylglucosaminyltransferase (EC 2.4.1.144) III - mouse
MRRYKLFMFCMAGLCLISFLHFFKTLSTVTFPRELASLSPNLISFFWNNAPVTPQASPEPGDPDLLRT
PLYSHSPLLQPLSPSKATEELHRVDFVLPEDTTEYFVRTKAGGVCFKPGTRMLEKPSPGRTTEKTEVSEG
SSARGPARRPMRHVLSSRERLGSRGTRRKWVECVCLPGWHGPPSCGVPTVVQYSNLPTKERLVPREVPRRV
INAININHEFDLLDVRFHLDVDFVCDNFTAYGEPRPLKFREMLTNGTFEYIRHKVLYVFLDHF
PGGRQDGIADDDYLRFTLTQDGVSRRLNLRPDDVFIIDDADEIPARDGVLFLKLYDGTWTEPFAFHMRS
YGF FWKQPGTLEVVSGCTMDMLQAVYGLDGI RLRRRQYITMPNFRQYENRTGHILVQWSLGSPLHFAGWH
CSWCFTPEGIYFKLVSAQNGDFPRWGDYEDKRD LNYIRSLIRTGGWFDGTQOEYPPADPSEHMYAPKYL
KNYDQFRYLLNPPYREP KSTVEGGRQNQGS DGRSSAVRGKLDTAEG

FIG. 24



62/73

FIG. 25





63/73

FIG. 26





64/73

FIG. 27



65/73

FIG. 28



66/73

FIG. 29





FIG. 30



67/73

FIG. 31





FIG. 32








Fig. 33

A



B



C






Fig. 34

70/73




71/73

Fig. 36




72/73

Fig. 37



73/73

Fig. 38



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.